



AOLU
CERAMIC

Architecture CHOICE

www.aqluceramica.com

About Us

integrate the strategic objectives in their management and production systems in a transverse manner, so that the implementation of processes that are respectful towards the environment are not limited to specific actions, but instead from a part of its know how as a whole.

objective is to offer personalized and customized solutions for architecture and interior design through pieces which work as a complement for coverings and floorings. With high levels of aesthetic value, the ceramic pieces we manufacture achieve in adding extra value to projects thanks not only to their finishes, but also to their suitable adaptability with the rest of the elements.

This reflects in this catalogue which we have created with utmost creativity. The catalogue is one of the principal tools that still nowadays keep together the relationship between firms, resellers and consumers.


Once again following its own style, translates the trends and the innovations of the ceramic sector in something captivating and usable for the everyday design.

Various Size of Tiles

Tiles come in a variety of sizes, and the right size for a particular space depends on a few factors, such as the size of the room, the intended use of the space, and personal preference.

The fabulous designs from our different collections will be a treat to your eyes and will add value to your luxury lifestyle.

It's important to consider the scale of the room and the tile pattern when choosing tile size. For example, larger tiles can make a small room appear larger, while smaller tiles can create a more intricate pattern or texture. Ultimately, the choice of tile size depends on personal preference and the desired aesthetic for the space.





Brand Introduction

The brand was launched as a high-end compact surface with revolutionary physical and technical features. uses the best natural raw materials with state-of-the-art technology to create the best surfaces with luxurious designs.

QUALITY CERTIFICATES

CE

ISO
9001:2015
COMPANY

EN
14411 : 2016

REX



SNI



www.aqluceramica.com



Surfaces for Everybody

Tiles have a wide range of practical and decorative uses in architecture and design. They are commonly used as a flooring material, providing a durable and easy-to-clean surface for high traffic areas such as kitchens, bathrooms, and entryways. Tiles can also be used as wall coverings, creating decorative accents and adding texture to a room. They can be used to create intricate mosaic patterns, decorative murals, or even as a backdrop for artwork. In addition, tiles are often used in exterior applications, such as roofing or cladding, where their durability and weather resistance make them an ideal choice. With their versatility and range of materials, tiles continue to be a popular and practical choice in modern design.

www.aqluceramica.com

Liquid stone *Collection*



MARBLE



STONE



WOOD



COLOR



PATTERN

ΔOLU
CERAMIC



600X1200MM
GOLD

CARVED ELEGANTLY

ELITE CHOICE




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

BRUMOSO WHITE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

DORADO BLACK



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

DORADO GREEN



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

EGYPTO GOLD



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

ELINA SHINE AQUA



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

ENDLESS EDICA STONE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application



SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

ENDLESS GOLDGEM WHITE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

ENDLESS ROFF GOLD



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

ESTIME AQUA



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

EVA BLUE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

EVA GREEN



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

FLOCK WHITE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

FLUID GOLD



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

GASON BLUE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

GASON GREEN



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

GASON GREY



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

GLAM AQUA



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

GLAM GREY



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

GOLD SPIDER



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application



SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
01 FACES

GOLD WAVE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

GOLDEN STATUARIO



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

LIQUID BLUE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

LIQUID GREY



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

LIQUID RED



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

NEWTON BLUE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

OCEAN GOLD MINT



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

OCEAN GOLD ROSE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application




SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
04 FACES

PEARL EMPERIO



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application






SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

RECARDO WHITE



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
02 FACES

SHINE BLACK



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting




Antislip
Surface



Easy
Cleaning



Quick & Easy
Application





SIZE_
600X1200 MM

FINISH_
GLOSSY

RANDOM_
03 FACES

SONAR AQUA



Features



Resistant
To Chemicals



Low Water
Absorption



Long
Lasting



Antislip
Surface



Easy
Cleaning



Quick & Easy
Application

OUR PRESENCE IN MORE THEN 65+ COUNTRIES

We always ensure that our buyers get the full value of their money once they place order with us. We always adhere to the delivery schedule stipulated in the contracts and ship the goods timely to our buyers, We closely examine the entire product development & carefully monitor the production process and only after the products go through the multiple quality assurance tests, we consider them ready for delivery. We ensure that each product perfectly meets the specifications required by our buyers

export



warehouse

- Amman City , Jordan
- Misurata City , Libya
- Basra City , Iraq
- Dubai , United Arab Emirates
- Beirut , Lebanon
- Nouakchott , Mauritania

TECHNICAL SPECIFICATION - VITRIFIED TILES- POLISHED

SR	CHARACTERISTIC	International Std. ISO 13006 / Group Bla	Specification	Method of Testing
1	Length	±0.3%	±0.1%	ISO 10545-2
2	Thickness	±5%	±5%	ISO 10545-2
3	Straightness of Sides	±0.3%	±0.1%	ISO 10545-2
4	Rectangularity	±0.3%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.4%	±0.1%	ISO 10545-2
6	Glossiness	Declared by manufacturer	pol-92~100%	ISO 2813(Gloss meter)
7	Water Absorption	E≤ 0,5 %	≤ 0.05 %	ISO 10545-3
8	MOH's Hardness	≥ 5	≥ 5	IS13630-13
9	Abrasion Resistance	Declared by manufacturer	PEI 3	ISO 10545-7
10	Flexural Strength (MOR)	≥ 35 N/mm2 (350 Kg/cm2)	≥ 40 N/mm2 (400 Kg/cm2)	ISO 10545 -4
11	Breaking strength	1300 Newton	1800 Newton	ISO 10545 -4
12	Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
13	Thermal Shock Resistance	Resistant to 10 cycles	pass min10 cycles	ISO 10545 -9
14	Crazing Resistance	In conformity with the norms	Passed min 4 cycles at 7.5 kg /cm2/168° C	ISO 10545 -11
15	Chemical Resistance HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS	Min class- GB	confirm to classes-GA	ISO 10545 -13
16	Chemical Resistance LOW CONCENTRATIONS ACIDS & ALKALIS	Min class- GLB	confirm to classes-GLA	ISO 10545 -13
17	Chemical Resistance HIGH CONCENTRATIONS ACIDS & ALKALIS	min class- GHB	confirm to classes-GHA	ISO 10545 -13
18	Stain Resistance	min class-3	min confirm to class -3	ISO 10545 -14

Packing Details

Dimension	Thickness (mm)	Pcs. / Box	Sq.Mtr. / Box	Weight / Box (Kgs)
600x1200mm	8.5	2	1.44	27.55

DISCLAIMER:

the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specification contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colours, references should be verified for typographical errors.