

Architecture CHOICE

www.aqluceramica.com



www.aqluceramica.com

About Us

integrate the strategic objectives in their management and production systems in a transverse manner, so that the implementation of processes that are respectful towards the environment are not limited to specific actions, but instead from a part of its know how as a whole.

objective is to offer personalized and customized solutions for architecture and interior design through pieces which work as a complement for coverings and floorings With high levels of aesthetic value, the ceramic pieces we manufacture achieve in adding extra value to projects thanks not only to their finishes, but also to their suitable adaptability with the rest of the elements

This reflects in this catalogue which we have created with utmost creativity. The catalogue is one of the principal tools that still nowadays keep together the relationship between firms resellers and consumers.

Once again following its own style. translates the trends and the innovations of the ceramic sector in something captivating and usable for the everyday design.



800X | INTENSE 1600MM | HIGHGLOSS



MODERNITY

Our exclusive modern design assortment will brighten up your spaces.



CALACUTTA BLACK

800X 1600MM






ETERNAL BLACK

800X 1600MM







LAPONIA BLACK


800X 1600MM





NOIR BLACK


800X 1600MM





PEAR ONYX

800X 1600MM





REGIA OCEAN

800X 1600MM







SAINT PORTO BLACK


800X 1600MM





TRAVEX BLACK


800X 1600MM





VOLGA BLUE

800X 1600MM



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER IS0-13006/EN14411 GROUP Bla	VALUE	TEST METHOD
REGULATORY PROPERTIES	1	. 0.4.0/	100 40545 0
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			,
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROP	PERTIES		
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PRO	PERTIES		
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PRO	OPERTIES		
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	SO-10545-14
SAFETY PROPERTIES	7.100.0.0011		33 .30 .0
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off	As per mfg	Does not yield	ISO-10545-15
by glazed tiles	7.6 porting	Pb & Cd	100 10040-10

PACKING DETAILS

Size	Tiles / Box	Coverage Area / Box	Coverage Area / Box
80X160CM	2 pcs	2.56 Sq. m.	27.55 Sq. ft.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

OUR PRESENCE IN MORE THEN 65+ COUNTRIES

We always ensure that our buyers get the full value of their money once they place order with us. We always adhere to the delivery schedule stipulated in the contracts and ship the goods timely to our buyers, We closely examine the entire product development & carefully monitor the production process and only after the products go through the multiple quality assurance tests, we consider them ready for delivery. We ensure that each product perfectly meets the specifications required by our buyers



export







Amman City , Jorda

Misurata City , Libya
Basra City , Iraq

Dubai , United Arab Emirat

AQLU

+91 9638470770 | +91 798401571 www.aqluceramica.com aqluceramicllp@gmail.com